



## Product features and benefits

- High luminance / radiance with intense point source
- Broad, continuous spectral distribution
- High color rendering > 95
- High arc stability
- DC operation

## Areas of application

- Endoscopy
- Microscopy
- Surgical Headlamps
- Fiber Illumination
- Solar Simulation
- Imaging & Scanning

# Product datasheet

## Technical data

### General Product Information

Global order reference	XBO R 100W/45C
Product number (Americas)	69191
Product name (Americas)	XBO R 100W/45C OFR 2/CS 1/SKU
Family brand	XBO
General description	100 watt, xenon short arc, with reflector
Product remark	OFR = Ozone-free version

### Electrical Data

Nominal wattage	100 W
Nominal voltage	13 V
Lamp voltage	12...14 V <sup>1)</sup>
Nominal current	7.2 A
Lamp current	7.0...7.4 A
Type of current	DC

<sup>1)</sup> Initial voltage range

### Photometric Data

Nominal luminous flux	530 lm
Color temperature	6000 K
Color rendering index Ra	98
Focal length	45.0 mm

### Physical Attributes & Dimensions

Lamp base	FaXP2.5-2x65
Diameter (in)	2.520 in
Diameter	64.0 mm
Length	93.0 mm
Connector: presence	Yes
Product weight	82.50 g

### Operating Conditions

Burning position	p20
Cooling	Forced

### Lifetime Data

Average life - horizontal	500 hr
---------------------------	--------

## Product datasheet

### Environmental & Regulatory Information

Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH)	
Primary article identifier	4050300367767
Date of declaration	26-06-2024
Declaration no. in SCIP database	73407a33-6ed3-4b8a-9bb2-de48a2df4448
Candidate list substance 1	Lead
CAS No. of substance 1	7439-92-1
Safe use instruction	The identification of the Candidate List substance is sufficient to allow safe use of the article.

### Safety advice

Because of their high luminance, UV radiation and high internal pressure in both the hot and cold state, XBO lamps must only be operated in appropriate enclosed casings. Always use the protective jackets supplied when handling these lamps. They may only be used as open lamps if appropriate safety measures are taken. More information is available on request or can be found in the leaflet included with the lamp or the operating instructions.

### Packaging Information

Product number	EAN/UPC	Packaging	Quantity	Outside dimensions l x w x h	Gross weight
69191	4050300367774			7.3 in x 3.8 in x 4.5 in	0.6 lb

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.