



### Product features and benefits

- High luminance / radiance with intense point source
- Broad, continuous spectral distribution
- High color rendering > 95
- High arc stability
- DC operation

# Areas of application

- Endoscopy
- Microscopy
- Surgical Headlamps
- Fiber Illumination
- Solar Simulation
- Imaging & Scanning

# Product datasheet

### Technical data

# **General Product Information**

Global order reference XBO R 181W/45C		
Product number (Americas)	69184	
Product name (Americas)	XBO R 181W/45C OFR 2/CS 1/SKU	
Family brand	XBO	
General description	180 watt, xenon short arc, with reflector	
Product remark	OFR = Ozone-free version	

# **Electrical Data**

Nominal wattage	181 W
Nominal voltage	13.8 V
Lamp voltage	12.814.8 V <sup>1)</sup>
Nominal current	12 A
Lamp current	11.7512.25 A
Type of current	DC

<sup>1)</sup> Initial voltage range

# **Photometric Data**

Nominal luminous flux	800 lm
Color temperature	6000 K
Color rendering index Ra	>90
Focal length	45.0 mm

# **Physical Attributes & Dimensions**

Lamp base	FaXP2.5-2x65
Diameter (in)	2.520 in
Diameter	64.0 mm
Length	90.0 mm
Connector: presence	Yes
Product weight	137.00 g

# **Operating Conditions**

Burning position	p20
Cooling	Forced

## **Lifetime Data**

Average life - horizontal	500 hr

### Product datasheet

## **Environmental & Regulatory Information**

Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACh)		
Primary article identifier	4050300450872	
Date of declaration	26-06-2024	
Declaration no. in SCIP database	0fdd7105-1036-4453-8fb0-781248736f2a	
Candidate list substance 1	Lead	
CAS No. of substance 1	7439-92-1	
Safe use instruction	The identification of the Candidate List substance i sufficient to allow safe use of the article.	

### Safety advice

Because of their high luminance, UV radiation and high internal pressure in both the hot and cold state, XBO lamps must only be operated in appropriate enclosed casings. Always use the protective jackets supplied when handling these lamps. They may only be used as open lamps if appropriate safety measures are taken. More information is available on request or can be found in the leaflet included with the lamp or the operating instructions.

### **Packaging Information**

Product number	EAN/UPC	Packaging	Quantity	Outside dimensions l x w x h	Gross weight
69184	4050300450889			7.3 in x 3.8 in x 4.8 in	0.9 lb

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.